



"Never Stop Rising: **BUILT FOR PERFORMANCE. DRIVEN BY TRUST.**

AGRICULTURE



INDUSTRIAL & CONSTRUCTION




MATERIAL HANDLING



EARTH MOVER



FORESTRY



Ascenso, one of the leading brands of high-performance tyres, for the *Agriculture, Industrial and Construction, Material Handling, Earth mover and Forestry segments.*

With a focus on quality, durability, and innovation, Ascenso offers tyre solutions designed to perform in the most demanding environments.

Our tyres are engineered for optimal efficiency, longer lifespan, and reduced downtime, ensuring improved productivity and reduced operational costs for businesses.



INDUSTRIAL & CONSTRUCTION

Backhoe Loader



BHB 310 (TL) *R-4*

Sr. No	Tyre Size	PR	LI/SI
1	10.5/80-18	12	123B
2	12.5/80-18	12	142/129A8
3	12.5/80-18	14	145/132A8
4	12.5/80-18 (CR)	16	148/135A8
5	400/70-20	16	149A8
6	14.9-24	12	145A8
7	16.9-24	12	149A8
8	17.5L-24	10	144A8
9	18.4-24	12	155A8
10	19.5L-24	12	151A8
11	18.4-26	12	156A8
12	18.4-26	14	159A8
13	16.9-28	12	152A8
14	16.9-28	14	155A8
15	16.9-30	12	153A8

Note: CR: Cut Resistant



BHB 313 (TL) *F-3*

Sr. No	Tyre Size	PR	LI/SI
1	11L-15	12	115A8
2	11L-16	10	112A8
3	14.5/75-16.1	16	131A8



BHB 314 (TL) *R-4*

Sr. No	Tyre Size	PR	LI/SI
1	340/80-18	14	145A8
2	340/80-18	12	142A8 FR/129A8 DW
3	340/80-18	16	148A8 FR/135A8 DW
4	400/70-18(15.5/70-18)	10	143A2/135A8
5	16.9-24	12	149A8
6	16.9-24	14	152A8
7	480/80-26	14	158A8
8	16.9-28	12	152A8
9	16.9-28	14	156A8



BHB 310 HD (TL) *R-4*

Sr. No	Tyre Size	PR	LI/SI
1	12.5/80-18 HD	12	142/129A8
2	16.9-24 HD	12	149A8
3	18.4-26 HD	12	156A8
4	16.9-28 HD	12	152A8

Note: HD- Heavy Duty



BHB 315 (TL) *IND*

Sr. No	Tyre Size	PR	LI/SI
1	12.5/80-18	14	132A8
2	19.5L-24	14	154A8
3	18.4-26	14	160A8
4	16.9-28	14	156A8



BHB 311 (TL) *IND*

Sr. No	Tyre Size	PR	LI/SI
1	18.4-26	12	156A8



BHB 316 (TL) *R-4*

Sr. No	Tyre Size	PR	LI/SI
1	18.4-26	16	160A8
2	16.9-28	14	156A8



BHB 312 (TL) *R-4*

Sr. No	Tyre Size	PR	LI/SI
1	19.5L-24	12	151A8
2	21L-24	12	155A8
3	21.3/70-24	16	160 A8
4	21L-28	18	165A8



BOSS BH 30 (TL/TT) *R-4*

Sr. No	Tyre Size	PR	LI/SI
1	12.5/80-18*	12	142A8/129A8
2	12.5/80-18	14	145A8/132A8
3	12.5/80-18	16	148/135A8
4	405/70-20 (CR)	14	155A8
5	16.9-24	14	152A8
6	17.5L-24	16	153A8
7	16.9-28*	12	152A8
8	16.9-28	14	156A8
9	18.4-26 IND*	14	159A8

Note: CR - Cut Resistant

The sizes marked in * are available in TT.

The rest of the sizes are TL.



Pick & Carry Crane



BOSS PN 40 (TT)

Sr. No	Tyre Size	PR	LI/SI
1	11.00-20	16	155B
2	11.00-20	18	157B



BOSS BH 31 (TT) *E-3*

Sr. No	Tyre Size	PR	LI/SI
1	14.00-25	20	161B
2	14.00-25	12	150B



BOSS BH 32 (TT) *IND*

Sr. No	Tyre Size	PR	LI/SI
1	9.00-16	16	149A8



BOSS BH 33 (TT) *IND*

Sr. No	Tyre Size	PR	LI/SI
1	9.00-16	16	149A8

Skid Steer



SSB 330 (TL) *R-4*

Sr. No	Tyre Size	PR	LI/SI
1	10-16.5	8	130A2
2	10-16.5	10	134A2
3	12-16.5	10	140A2
4	12-16.5	12	145A2
5	12-16.5	14	147A2



SSB 333 (TL) *NHS*

Sr. No	Tyre Size	PR	LI/SI
1	10-16.5	10	134A2
2	12-16.5	12	145A2



SSB 334 (TL) *NHS*

Sr. No	Tyre Size	PR	LI/SI
1	10-16.5	10	134A2
2	12-16.5	12	145A2



SSB 331 (TL) *R-4*

Sr. No	Tyre Size	PR	LI/SI
1	18X8.50-10	6	89A2
2	23X8.50-12	8	87A8
3	23X8.50-12	12	98A8
4	26X12.00-12	12	114A8
5	27x10-12 (250/75-12)	14	152A2
6	23X8.50-14	6	101 A2
7	25X8.50-14	6	107 A2
8	27x8.50-15	8	102A8
9	27x10.50-15	8	105A8
10	31X15.50-15	10	125A8
11	10-16.5	8	130A2
12	10-16.5	10	134A2
13	12-16.5	10	140A2
14	12-16.5	12	145A2
15	12-16.5	14	147A2
16	33X15.50-16.5	12	148A2
17	14-17.5	14	155A2
18	15-19.5	14	146A8



SSR 320 (TL) *IND*

Sr. No	Tyre Size	LI/SI
1	260/70R16.5 (10R16.5) (SB)	129A8/137A2
2	300/70R16.5 (12R16.5) (SB)	137A8/145A2
3	360/70R17.5 (14R17.5) (SB)	148A8/156A2

Skid Steer- Solid



SSS 340

Sr. No	Tyre Size	RIM
1	31x10-20	7.50V-20
2	33x12-20	7.50V-20

Note- Available in SH only



SSB 332 (TL) *NHS (L-5)*

Sr. No	Tyre Size	PR	LI/SI
1	10-16.5	10	134A2
2	12-16.5	12	145A2
3	14-17.5	14	155A2

» Boom Lift



BLB 730 (TL) *NHS*

Sr. No	Tyre Size	PR	LI/SI
1	26x12D380	8	120A2
2	IN315/55D20	14	151A2
3	385/65D22.5 (15-22.5)	16	168A2
4	445/65D22.5 (18-22.5)	18	177A2
5	15-625	16	168A2
6	18-625	12	175A2
7	IN355/55D625	18	157A2
8	IN445/50D710	18	177A2

» Compact Loader



CLR 280 (TL) *IND*

Sr. No	Tyre Size	LI/SI
1	365/70R18 (SB)	135 B/146A2
2	405/70R18 (SB)	141 B/153A2
3	335/80R20 (SB)	136 B/147A2
4	365/80R20 (SB)	141 B/152A2
5	405/70R20 (SB)	143 B/155A2

Note: SB- Steel Belted

» Telehandler



THB 230 (TL) *R-4/IND*

Sr. No	Tyre Size	PR	LI/SI
1	405/70-20(16.0/70-20)	14	149B
2	15.5/80-24 (400/80-24)*	12	157A8
3	15.5/80-24 (400/80-24)*	16	163A8
4	405/70-24(16.0/70-24)	14	152 B
5	405/70-24(16.0/70-24) SB & SG	14	152 B

Note: SB- Steel Belted, SG- Stubble Guard

Note: The sizes marked in * have TRA code IND

» Paving & Compactor



PCB 360 (TL) *R-3*

Sr. No	Tyre Size	PR	LI/SI
1	14.9-24	8	128A8
2	18.4-26	12	146A8
3	23.1-26	8	145A8
4	23.1-26	12	162A8
5	23.1-26	16	168A8
6	28L-26	16	173A8
7	13.6-28	8	125A8

» Smooth Compactor



THB 230 HD (TL) *R-4*

Sr. No	Tyre Size	PR	LI/SI
1	15.5/80-24 (400/80-24) (HD)	12	157A8
2	15.5/80-24 (400/80-24) (HD)	16	163A8



SCB 430 (TT/TL) *IND*

Sr. No	Tyre Size	PR	LI/SI
1	7.50-15*	14	145A2
2	8.5/90-15 K	6	128A2
3	9.5/65-15	6	118A2
4	205/60-15	6	110A2
5	10.5/80-16	6	129A2
6	9.00-20*	16	162A2
7	11.00-20*	18	169A2
8	13/80-20*	18	170 A2
9	14/70-20*	12	156A2
10	14/70-20	20	167A2

Note: The sizes marked in * are available in TT only.
The rest of the sizes are TL

Excavator



EXB 380 (TT/TL) *E-2*

Sr. No	Tyre Size	PR	LI/SI
1	8.25-20	14	133B
2	9.00-20	14	140B
3	10.00-20	16	148B
4	11.00-20	16	153B
5	340/80-20	12	136B
6	14.5-20	14	143B
7	400/70-20	14	149B
8	400/70-20	18	165B
9	400/70-24 (16.0/70-24)* IND	14	152B

The size marked in * is available in TL. The rest sizes are TT



EXB 386 (TL) *IMP*

Sr. No	Tyre Size	PR	LI/SI
1	550/60-22.5	18	165A8 FR 161B 153A8 DW 149B
2	500/60-22.5	18	169A8 FR 165B 156A8 DW 152B
3	600/40-22.5	18	173A6 /169A8
4	600/40-22.5(SB)	20	175A6 /171A8
5	600/50-22.5	18	174A6 /170A8
6	650/45-22.5	18	173A6 /169A8
7	650/45-22.5(SB) (DB)	20	175A6 /171A8
8	700/40-22.5 (DB)	18	177A6 /173A8

Note: SB- Steel Belted, DB-Dual Bead



» MULTI-PURPOSE INDUSTRIAL

» Concrete Mixer/Mini Dumper/Telehandler



MPB 400 (TL) *MPT*

Sr. No	Tyre Size	PR	LI/SI
1	10.0/75-15.3	18	135A8 FR 123A8 DW
2	11.5/80-15.3	14	139A8 FR 126A8 DW
3	11.5/80-15.3	18	143A8 FR 130A8 DW
4	12.0/75-18	12	139A8 FR 126A8 DW
5	10.5-18	12	130G
6	12.5-18	12	131G
7	12.5-18	16	136G
8	18-19.5	16	160B
9	18-19.5	18	165B
10	10.5-20	12	131G
11	12.5-20	12	132G
12	12.5-20	16	143B
13	14.5-20	14	139G
14	16.0/70-20	14	145G
15	16.0/70-20	18	165B

» Grader/Compact Loader/Telehandler/Backhoe Loader



MIB 405 (TL) *L-2/G-2*

Sr. No	Tyre Size	PR	LI/SI
1	13.00-24	12	
2	13.00-24	16	174A2
3	14.00-24	12	
4	14.00-24	16	177A2
5	15.5-25	12	168A2
6	15.5-25	16	175A2
7	17.5-25	16	177A2
8	20.5-25	16	181A2



MIB 406 (TL) *L-2/G-2*

Sr. No	Tyre Size	PR	LI/SI
1	13.00-24	14	170A2
2	14.00-24	16	177A2
3	15.5-25	12	168A2
4	17.5-25	16	177A2
5	17.5-25	24	188A2
6	20.5-25	16	181A2

» Telehandler/Compact Loader



MPB 401 (TL) *MPT*

Sr. No	Tyre Size	PR	LI/SI
1	10.5-20	10	128G
2	12.5-20	12	132G



MIB 407 (TL) *IND*

Sr. No	Tyre Size	PR	LI/SI
1	400/70-20 (16.0/70-20)	18	156A8
2	18-22.5 (445/65-22.5)	16	164A8
3	18-22.5 (445/65-22.5)	20	169A8
4	400/70-24 (16.0/70-24)	16	151A8
5	400/80-24	20	162A8
6	440/80-24	22	168A8



MIR 220 (TL) IND

Sr. No	Tyre Size	LI/SI
1	280/80R16 (SB)	122 A8/B
2	300/75R18 (SB)	142 A8/B
3	340/80R18 (SB)	143A8/B
4	400/70R18 (SB)	147 A8/B
5	280/80R20 (SB)	133 A8/B
6	340/80R20 (SB)	144A8/B
7	380/75R20 (SB)	148A8/B
8	400/70R20 (SB)	149A8/B
9	420/75R20 (SB)	154A8/B
10	400/70R24 (SB)	152 A8/B
11	400/80R24 (SB)	162A8/B
12	440/80R24 (SB)	168A8/B
13	460/70R24 (SB)	159A8/B
14	500/70R24 (SB)	164A8/B
15	480/80R26 (SB)	167A8/B
16	440/80R28 (SB)	156A8/B
17	500/70R28 (SB)	164 A8/B

Note: SB- Steel Belted



MDR 1000 (TL) IND

Sr. No	Tyre Size	LI/SI
1	240/70R16 (SB)	107A8/102D
2	250/75R16 (SB)	120G
3	280/80R18 (10.5R18) (SB)	132A8/127D
4	340/80R18 (12.5R18) (SB)	143A8/138D
5	340/80R20 (12.5R20) (SB)	144A8/141D
6	360/80R20 (13.6R20) (SB)	147A8/143D
7	400/70R20 (16.0/70R20) (SB)	149A8/144D
8	340/80R24 (SB)	140A8/135D
9	360/80R24 (13.6R24) (SB)	143A8/138D
10	400/70R24 (16.0/70R24) (SB)	152A8/ 146D
11	400/80R24(14.9R24) (SB)	149A8/144D
12	420/65R24 (SB)	151A8/146D
13	440/80R24(16.9R24) (SB)	154A8/149D
14	460/70R24 (17.5LR24) SB	159A8/154D
15	500/70R24 (19.5LR24) (SB)	164 A8/159 D
16	540/70R24 SB	168A8/162D
17	480/80R26 (18.4R26) SB	160A8/155D
18	580/70R26 SB	158A8/153D
19	400/80R28(14.9R28) (SB)	151A8/146D
20	440/80R28(16.9R28) (SB)	156A8/151D
21	480/65R28 (SB)	154A8/149D
22	540/65R28 (SB)	160A8/155D
23	440/80R30 (16.9R30) (SB)	157A8/153D
24	480/80R30 (SB)	162A8/157D
25	540/65R30 (SB)	161A8/156D
26	600/70R30 (SB)	171A8/166D
27	440/80R34 (16.9R34) (SB)	159A8/155D
28	480/80R34 (18.4R34)(SB)	164A8/159D
29	480/80R38 (18.4R38) (SB)	166A8/161D
30	540/80R38 (20.8R38) (SB)	172A8/167D
31	600/65R38 (SB)	170A8/166D
32	650/65R38 (SB)	175A8/170D
33	650/65R38 (SG)	175A8/170D
34	650/85R38 (SB)	183A8/178D
35	620/80R42 (SB)	181A8 /177 D
36	650/65R42 (SB)	176A8/171D
37	710/70R42 (SB)	185A8/180D

Note: SB- Steel Belted, SG- Stubble Guard



MIR 221 (TL) IND

Sr. No	Tyre Size	LI/SI
1	340/80R18 (SB)	143A8/B
2	400/70R24 (SB)	152A8/B
3	460/70R24 (SB)	159A8/B
4	500/70R24 (SB)	164A8/B
5	480/80R/26 (SB)	167A8/B
6	440/80R28 (SB)	163A8/B

Note: SB- Steel Belted

» MATERIAL HANDLING

» Forklift



FLB 680 (TT) NHS

Sr. No	Tyre Size	PR
1	5.00-8	10
2	18X7-8	16
3	6.00-9	10
4	6.00-9	12
5	21X8-9	14
6	6.50-10	12
7	7.00-12	12
8	7.00-12	14
9	7.00-15	12
10	7.50-15	12
11	8.25-15	14
12	300-15	20
13	28X9-15	14



FLB 681 (TT) NHS

Sr. No	Tyre Size	PR	LI/SI
1	5.00-8 (HD)	10	110 A6
2	18X7-8 (HD)	16	124 A6
3	6.00-9 (HD)	12	120 A6
4	21X8-9 (HD)	14	130A6
5	6.50-10 (HD)	12	124A6
6	7.00-12 (HD)	14	133A6
7	7.00-15 (HD)	12	137 A6
8	27x10-12 (HD)	24	151 A6
9	7.50-15 (HD)	16	141 A6
10	8.25-15 (HD)	14	148A6
11	28X9-15 (HD)	14	145 A6
12	300-15 (HD)	20	163 A6
13	28x12.50-15 (HD)	24	158 A6
14	32x12.1-15 (HD)	24	169 A6
15	7.50-16 (HD)	16	-
16	9.00-20 (HD)	16	-
17	10.00-20 (HD)	18	-
18	12.00-20 (HD)	20	-
19	12.00-20 (HD)	28	-

» Forklift - Solid



FLS 692

Sr. No	Tyre Size	Rim Size	Heel	
			Normal	Quick
1	15x4 1/2 -8	3.00D-8	✓	✓
2	5.00-8	3.00D-8	✓	✓
3	18x7-8	4.33R-8	✓	✓
4	140/55-9	4.00E-09	✓	✓
5	6.00-9	4.00E-09	✓	✓
6	21x8-9	6.00E-09	✓	✓
7	6.50-10	5.00F-10	✓	✓
8	7.00-12	5.00S-12	✓	✓
9	250-15	7.0-15	✓	✓
10	250-15	7.0-15	✓	✓
11	28x9-15	7.0-15	✓	✓
12	8.25-15	6.5-15	✓	✓
13	300-15	8.0-15	✓	✓
14	16X6-8*	3.00D-8	✓	✓
15	23x9-10*	6.50F-10	✓	✓
16	200/50-10*	6.50F-10	✓	✓
17	23x10-12*	8.00G-12	✓	✓
18	27X10-12*	8.00G-12	✓	✓

Note- The sizes marked in * are under development

» Ground Support Equipment



GEB 745 (TT) NHS

Sr. No	Tyre Size	PR	LI/SI
1	6.90-9	10	116A6
2	6.50-10	14	127A6

Port



PEB 720 (TT/TL) *IND-3*

Sr. No	Tyre Size	PR	LISI
1	14.00-24*	28	188A2
2	14.00-24	32	
3	16.00-25	32	
4	21.00-25	40	

The size marked in * is available in both TT & TL.
The rest of the sizes are TL.



PEB 722 (TL) *IND-4 (Deep Tread)*

Sr. No	Tyre Size	PR
1	18.00-25	40



PEB 723 (TL) *IND-4S*

Sr. No	Tyre Size	PR
1	18.00-25	40



PEB 721 (TT/TL) *IND-4*

Sr. No	Tyre Size	PR
1	12.00-24**	20
2	12.00-24*	24
3	18.00-25	40
4	18.00-33	40

Note: The size marked ** is available in TT & TL. The size marked in * is available in TT only. The rest of the sizes are TL.



PEB 724 (TL) *IND-5S*

Sr. No	Tyre Size	PR
1	18.00-25	40



BOSS PT 65 (TT)

Sr. No	Tyre Size	PR
1	10.00-20	18



BOSS TM 75 (TT)

Sr. No	Tyre Size	PR
1	10.00-20	18

EARTH MOVER

Wheel Loader



WLB 550 (TL) E-3/L-3

Sr. No	Tyre Size	PR	LI/SI
1	15.5-25	12	149B/168A2
2	17.5-25	16	158B/177A2
3	17.5-25	20	164B/181A2
4	17.5-25	24	168B/188A2
5	17.5-25	32	-
6	20.5-25	16	167B/181A2
7	20.5-25	20	170B/186A2
8	23.5-25	20	117B/191A2
9	26.5-25	28	188B/203A2
10	29.5-25	28	207A2

Grader



BOSS TG 60 (TL) G-3

Sr. No	Tyre Size	PR	LISI
1	14.00-24	16	153A8



TGB 610 (TL) G-2

Sr. No	Tyre Size	PR	LISI
1	13.00-24	12	143A8
2	13.00-24	16	149A8
3	14.00-24	12	147A8
4	14.00-24	16	153A8
5	16.00-24	16	160A8

Tipper



BOSS ML 35 (TT) ML

Sr. No	Tyre Size	PR	LISI
1	10.00-20*	18	144G
2	11.00-20*	18	146G
3	12.00-20	18	150F

Note: The size marked in * are available in HD & Standard



BOSS ML 36 (TT) ML

Sr. No	Tyre Size	PR	LISI
1	12.00-24	20	155F



BOSS ML 37 (TT) ML

Sr. No	Tyre Size	PR	LISI
1	10.00-20	18	144G
2	11.00-20	18	146G
3	12.00-20	20	151F



MLB 460 (TT)

Sr. No	Tyre Size	LISI
1	295/95D20	152/148J



BOSS SLM 70 (TT) ML

Sr. No	Tyre Size	PR	LISI
1	10.00-20	18	144G
2	11.00-20	18	146G

EARTH MOVER

Tipper/ Rigid Dump Truck



RTB 500 (TT/TL) *E4*

Sr. No	Tyre Size	PR
1	11.00-20*	18
2	12.00-24*	20
3	14.00-25*	36
4	18.00-25	40
5	18.00-33	40
6	24.00-35	48

Note: The size marked * is available in TT. The rest of the sizes are TL.

Desert Truck/Trailer



SPB 263 (TT/TL) *E-7*

Sr. No	Tyre Size	PR
1	14.00-20*	16
2	18.00-25	16
3	21.00-25	28
4	29.5-25	28

Note: The size marked * is available in TT only.
The rest of the sizes are TL.

Loader *(All Steel Radial)*



ELR 3100 (TL) *E-3/L-3*

Sr. No	Tyre Size	PR & LI/SI	Star Rating
1	17.5R25	167B/176A2	** / *
2	20.5R25	177B / 186A2	** / *
3	23.5R25	185B / 195A2	** / *
4	26.5R25	193B/202A2	** / *
5	29.5R25	200B/208A2	** / *

Grader/Loader *(All Steel Radial)*



GLT 2100 (TL) *(G-2/L-2)*

Sr. No	Tyre Size	PR & LI/SI	Star Rating
1	14.00R24	153A8 / 175A2	* / *
2	17.5R25	153A8 / 176A2	* / *

never stop rising

[illegible]

OWN THE DESERT

- Suited for desert trucks on loose or sandy terrain
- Rib tread improves flotation and stability
- Nylon casing and strong bead support low pressure
- Resists punctures for added durability
- Long-lasting tyre life



SPB 263



#NeverStopRising



Mahansaria Tyres Pvt. Ltd.
3rd Floor, Peninsula Chambers, Ganpat Rao Kadam Marg,
Lower Parel West, Mumbai 400013, India
T: +91 22 4348 1600
E: enquiry@ascensotyres.com
W: www.ascensotyres.com



 **ETD**
TYRES, RIMS AND ASSEMBLIES

www.etd.nl